JOURNAL OF COATINGS TECHNOLOGY

Annual Index

Volume 55
Numbers 696–707
January thru December, 1983

Journal of Coatings Technology
1983 Annual Index

Keyword Subject Index

Prepared by Technical Information
Systems Committee

Additives

Surfactants, water-based corrosion-resistant coatings ..... Aug., 81
Thickeners, cellulosic, latex coatings ..... June, 33

Adhesives

Cyanoacrylates ..... Nov., 59
Water-based cements, microbiological degradation ..... Oct., 49

Analysis

Hydroxyl content of polymers, statistical comparison of methods ..... June, 65

Application and Finishing

Appliance coatings ..... Jan., 81
Brushing (drag and pressure forces), and coating rheology ..... June, 59
Dip tank coatings, stability ..... Sept., 108
Popping, water-based baked acrylic coatings ..... Mar., 59
Sprayout (water-reducible coatings), solvent evaporation mechanism ..... Jan., 89

Biological Materials and Processes

Microbiological degradation, latex cements, coatings, and emulsions ..... Oct., 49
Microbiological degradation, PRI Mildew Consortium ..... Dec., 61

Chemical Materials and Processes

Aminoethanethiosulfuric acids, substituted (Bunte salts), crosslinking agents ..... Nov., 33
Butyllithium, initiator for methacrylate graft polymerization on carbon black ..... July, 35
Dicyclopentenyloxyethyl methacrylate, alkyd modifier and curing agent ..... July, 49
β-diketone iron-complexing (Fe^{+++}) agents, corrosion inhibitors ..... Feb., 39
Ethyl N,N-dimethyl sulfamate (EDMS), latent acid catalyst water-based coatings ..... Sept., 87
Ethylene glycol—water paint coolant ..... Sept., 107
Isocyanatoethyl methacrylate (IEM), coatings ... Aug., 55
Ni^{++} ion, nucleator for phosphate coatings ..... Dec., 43
Nigrosine, coating porosity indicator ..... Sept., 107
Oximeesters of sulphonic acids, latent acid catalysts, polyester-melamine resins ..... Feb., 45
Poly-2-oxazolidone, coatings ..... May, 49, 59
Ti colloid, nucleator for phosphate coatings ..... Dec., 43
Trimellitic anhydride, esterification ..... July, 57

Coatings

Aircraft, aqueous ..... Jan., 99; Feb., 29
Antifouling, immersion tests ..... Aug., 51
Antifouling, soluble matrix—pigment reaction ..... Feb., 23
Appliance ..... Jan., 81
Barrier ..... May, 29
Corrosion-resistant ..... Sept., 109
Corrosion-resistant, barrier ..... Oct., 31
Corrosion-resistant, latex ..... Mar., 39
Corrosion-resistant, methacrylate-β-diketone ..... Feb., 39
Corrosion-resistant, water-based ..... Aug., 81
Exterior wood, cracking mechanism ..... Jan., 73
Fungicidal, PRI Mildew Consortium ..... Dec., 61
Industrial, water-based baked, popping ..... Mar., 59
Magnetic, pigment-vehicle interaction ..... Mar., 23
Waterproof sealer, yellowing ..... Apr., 53
Wood, interaction with substrate ..... Apr., 25

Acrylic, aqueous, aircraft ..... Jan., 99
Acrylic, high solids ..... Aug., 75
Acrylic, water-based, baked, popping ..... Mar., 59
Alkyd, oil-modified - methacrylate, high solids ..... July, 49
Alkyd, solvent evaporation and coating flow ..... Jan., 63
Alkyd, thixotropic, pigment-resin interaction ..... Oct., 41
High solids ..... May, 39
High solids, appliance ..... Jan., 81
High solids enamels, water-dispersible ..... Apr., 45
Latex, N-(n-butoxymethyl) acrylamide (NBM), crosslinked core ..... Mar., 29
Latex, cellulosic thickeners ..... June, 33
Latex, cracking mechanism on wood ..... Jan., 73
Latex, flat, CPVC by density method ..... Jan., 111
Latex, microbiological degradation ..... Oct., 49
Latex, (opaque), water/air voids, Ropaque ..... Dec., 79
Latex, PVC and CPVC ..... Mar., 53
Latex, vinyl-acrylic, chlorinated, corrosion-resistant ..... Mar., 39
Mathacrylate-β-diketone, corrosion-resistant ..... Feb., 39
Penta chlorophenolacrylate, fungicidal ..... Dec., 61
Phosphate ..... Dec., 43
Poly-2-oxazolidone ..... May, 49, 59
Polyester, high solids, solvent evaporation and coating flow ..... Jan., 63
Polyester - alkyd (Polystyrene glycol - linseed - adipic) ..... Nov., 43
Polyester - melamine, latent acid catalyzed cure ..... Feb., 45
Polyester, trimellitic anhydride ..... July, 57

Rosin, antifouling reaction with basic pigments .... Feb., 23
Thermoplastic, internal stress and solvents ..... Apr., 37
Urethane, aqueous, aircraft ..... Feb., 29
Urethane, magnetic ..... Mar., 23
Urethane - isocyanatoethyl methacrylate ..... Aug., 55
UV curable, structure and film properties ..... Aug., 63
Vinyl, magnetic ..... Mar., 23
Vinyl - isocyanatoethyl methacrylate ..... Aug., 55
Water-based, corrosion-resistant ..... Aug., 81
Water-based, latent acid catalyst cure ..... Sept., 87
Water-based, thermosetting, Bunte salts crosslinking agents ..... Nov., 33
Water-dispersible, viscosity dilution curve ..... May, 33
Water-reducible, solvent evaporation during sprayout ..... Jan., 89

Coatings—Liquid Properties and Tests

Latex coating rheological properties, effect of cellulosic thickener molecular weight ..... June, 33
Paint flow - pigment dispersion relation ..... Feb., 53
Rheological properties, relation to brush drag and pressure ..... June, 59
Solvent evaporation rate (Chevron Research Evapocorder) and coating flow ..... Jan., 63

Color and Appearance

Applied Color Systems's Visual Color System (Maxwell disk) ..... Dec., 67
Bird film applicator, drawdown bar ..... Sept., 108
Gloss, scrub resistance and Gilsonite stain test of latex coatings, effect of CPVC and PVC ..... Mar., 53
Opacity, latex with water/air voids (Ropaque) ..... Dec., 79
Optical properties, thixotropic alkyd coatings ..... Oct., 41
Pigment dispersibility assessment (Yellow 42 and 118 and Red 179), mill base optimum formulas ..... Sept., 77
Variations due to tinting color performance ..... Sept., 69
Yellowing (ultraviolet aging), waterproof sealer, effect of plasticizers ..... Apr., 53

Computer Applications

Copolymerization, low molecular wt., Monte Carlo simulation ..... Oct., 57
Esterification of trimellitic anhydride with alcohol (Monte Carlo - type study) ..... July, 57
Process control in manufacturing ..... Nov., 51
Solvent evaporation mechanism, sprayout of water-reducible coatings ..... Jan., 89
Statistical analysis, panel immersion tests ..... Aug., 51
Yellowing (ultraviolet aging), waterproof sealer, plasticizer effect ..... Apr., 53

Cure and Curing

Curing/crosslinking oil modified alkyds, with methacrylate ..... July, 49
Curing/crosslinking thermosetting water-based coatings, with aminoethanethio sulfuric acids, substituted (Bunte salts) ..... Nov., 33
Latent acid catalyzed cure of polyester-melamine, with oximeesters of sulphonic acids ..... Feb., 45
Latent acid catalyzed cure of water-based coatings, with ethyl N,N-dimethyl sulfamate (EDMS) ..... Sept., 87
UV curing, coating chemical structure - property relation ..... Aug., 63

Exposures and Weathering

Accelerated, AC impedance test, chlorinated vinyl-acrylic latex ..... Mar., 39
Accelerated, condensing humidity, β-diketone iron complexing (Fe^{+++}) corrosion inhibitors ..... Feb., 39
Acclerated, freeze/thaw/wet/dry cycle, latex on wood ..... Jan., 73
Immersion, intermittent, β-diketone iron complexing (Fe^{+++}) corrosion inhibitors ..... Feb., 39
Immersion, (static panel), antifouling coatings ..... Aug., 51
Outdoor, β-diketone iron complexing (Fe^{+++}) corrosion inhibitors ..... Feb., 39
Outdoor, exterior latex coating on wood, cracking ..... Jan., 73
Sea water raft tests, rosin antifouling coating ..... Feb., 23

Film Degradation/Deterioration and Tests

Corrosion resistance, AC impedance, chlorinated vinyl-acrylic latex ..... Mar., 39
Corrosion resistance, barrier principle ..... Oct., 31
Corrosion resistance, water-based coatings, surfactant effect ..... Aug., 81
Cracking, exterior latex coatings on wood ..... Jan., 73
Popping, water-based baked acrylic coatings ..... Mar., 59
Solvent (aircraft) resistance, acrylic water-based polymers ..... Jan., 99
Solvent (aircraft) resistance, urethane water-based polymers ..... Feb., 29

Film Formation

Solvent evaporation mechanism and coating flow, alkyd and high solids polyester coatings ..... Jan., 63

Film Properties (Dry Film) and Tests

CPVC, flat latex coatings, film density method .... Jan., 111
Dynamic dielectric and mechanical properties ..... Sept., 95
Film density (hydrostatic weighing) and PVC/CPVC, particle packing model ..... Dec., 53
Film properties and chemical structure, UV curable coatings ..... Aug., 63
Glass transition temp., latex coatings, effect of PVC/CPVC ..... Mar., 53
Glass transition temp., water-based acrylic coatings, effect on popping during baking ..... Mar., 59
Heat stability (TGA), poly-2-oxazolidone ..... May, 59
Internal stress (Cantilever beam), thermoplastic coatings, effect of solvents ..... Apr., 37
Mechanical properties, N-(n-butoxymethyl) acrylamide (NBM) latex, crosslinked core ..... Mar., 29
Mechanical properties, urethane and vinyl magnetic coatings, effect of magnetic pigment-polymer reaction ..... Mar., 23
Permeability, crack resistance and fracture energy, exterior latex coatings on wood ..... Jan., 73
Porosity, with nigrosine ..... Sept., 107
Porosity index, film density method, flat latex coatings ..... Jan., 111
Stress-strain (Instron), crack resistance and fracture energy, exterior latex coatings on wood ..... Jan., 73

Formulation

Mill base formulas (Optimum), and pigment dispersibility (Yellow 42 and 118 and Red 179) .. Sept., 77
Tinting colors, variables affecting performance in coatings ..... Sept., 69

Instrumental Analysis and Methods

Auger electron microscopy (AES), surface analysis and nucleator deposition, phosphate coatings ... Dec., 43
Cantilever beam, internal stress, thermoplastic coatings ... Apr., 37
Crowl method, flow of liquids in pigment capillary beds ... Feb., 53
Dynamic spring analysis, acid catalyzed cured polyester-melamine ... Feb., 45
Esterification gas chromatography (EGS), trimellitic anhydride polyesters ... July, 57
Fourier transform infrared spectroscopy, acid catalyzed cured polyester-melamine ... Feb., 45
Quasielastic laser light scattering (QELS), particle size and electrophoretic mobility of colloidal polymer dispersions ... July, 41
Sag balance viscometry, acid catalyzed cured polyester-melamine ... Feb., 45
Scanning electron microscope (SEM), pigments ... Feb., 53
Scanning electron microscope (SEM), surface analysis ... May, 29
Scanning electron microscope (SEM), wood substrates ... Apr., 25
Secondary ion mass spectrometry (SIMS or IMA), surface analysis and nucleator deposition, phosphate coatings ... Dec., 43
Thermogravimetric analysis (TGA), acid catalyzed cured polyester-melamine ... Feb., 45
Thermogravimetric analysis (TGA), thermal stability, poly-2-oxazolidone ... May, 59
Torsion braid analysis (TBA), water-based coatings cure ... Sept., 87

Interfacial Phenomena

Magnetic pigment - polymer interaction ... Mar., 23
Pigment surface energy and pigment dispersion in polymer soln. ... Feb., 53
Pigment - resin interaction, thixotropic alkyd coatings ... Oct., 41
Wood substrate - coating interaction ... Apr., 25

Manufacturing Operations and Plant

Computerized process control ... Nov., 51
Quality control samples, ethylene glycol-H_2O coolant ... Sept., 107
Thermometer holder ... Sept., 108

Mathematical Models

Cracking mechanism, exterior latex coatings on wood ... Jan., 73
Film density and CPVC data, flat latex coatings ... Jan., 111
Martin's equation and Power Law equation, alkyd solution rheology and solvent solubility parameters ... June, 43
Particle packing, film density and PVC/CPVC ... Dec., 53
Solubility parameter, polymer solution properties ... Sept., 57

Paint Industry

PRI interests/activities questionnaire ... Dec., 75
PRI mildew consortium ... Dec., 61

Pigments and Extenders

Anticorrosive, barrier principle ... Oct., 31
Applied Color System's Visual Color System (Maxwell disk) ... Dec., 67
Basic lead silicochromate ... Sept., 109
CPVC, flat latex coatings, film density method ... Jan., 111
Calcium carbonate and cuprous oxide, reaction with rosin binder, antifouling coatings ... Feb., 23
Carbon black - methacrylate graft polymer, butyllithium initiator ... July, 35
Magnetic (δ Fe_2O_3 and Co-adsorbed δ Fe_2O_3), vehicle interaction and coating mechanical properties ... Mar., 23
PVC/CPVC and film density, particle packing model ... Dec., 53
PVC/CPVC, effect on latex coating properties ... Mar., 53
Pigment - resin interaction, thixotropic alkyd coatings ... Oct., 41
Pigment dispersibility (Yellow 42 and 118 and Red 179), mill base formulas (optimum) ... Sept., 77
Pigment surface energy and pigment dispersion in polymer solutions ... Feb., 53
Tinting colors, variables affecting performance in coatings ... Sept., 69

Polymers and Resins

Copolymerization (low molecular weight), Monte Carlo simulation ... Oct., 57
Dynamic dielectric and mechanical properties ... Sept., 95
Glassy, surface coloring by solvent diffusion ... June, 53
Hydroxyl content, statistical comparison of methods ... June, 65
Oligomers (dihydroxy and tetrahydroxy) for high solids coatings ... May, 39
Particle size and electrophoretic mobility of colloidal polymer dispersions, by QELS ... July, 41
Solubility parameters, from polymer solution properties ... Sept., 57

Acrylic, aqueous, solubility parameters and coating performance ... Jan., 99
Acrylic, high solids ... Aug., 75
Alkyd solutions, rheological properties and solvent solubility parameters ... June, 43
N-(n-butoxymethyl) acrylamide (NBM) latex, crosslinked core ... Mar., 29
Cyanoacrylates ... Nov., 59
Emulsion polymerization, Co-60 gamma ray induced, N-(n-butoxymethyl)acrylamide (NBM),crosslinked-core ... Mar., 29
Latex (opaque), water/air voids, Ropaque ... Dec., 79
Latex emusion, microbiological degradation ... Oct., 49
Methacrylate graft polymer on carbon black, butyllithium initiator ... July, 35
Pentachlorophenol acrylate, fungicidal ... Dec., 61
Poly-2-Oxazolidone ... May, 49, 59
Polyester-alkyd polystyrene glycol—linseed—adipic ... Nov., 43
Polyester - melamine, latent acid catalyzed cure ... Feb., 45
Polyester - trimellitic anhydride, esterification, EGS ... July, 57
Rosin, reaction with basic pigments, antifouling coatings ... Feb., 23
Thermosetting, water-based, with Bunte Salt crosslinking ... Nov., 33
Urethane, aqueous, solubility parameter and performance ... Feb., 29
Urethane - isocyanatoethyl methacrylate ... Aug., 55
Urethane, interaction with magnetic pigments and mechanical props ... Mar., 23

Vinyl-acrylic, chlorinated, latex, corrosion resistance ..... Mar., 39
Vinyl, interaction with magnetic pigments and mechanical props ..... Mar., 23
Vinyl - isocyanatoethyl methacrylate ..... Aug., 55
Water-dispersible (high hydroxyl numbers), high solids enamels ..... Apr., 45
Water-dispersible, viscosity dilution curve ..... May, 33

Solvents and Plasticizers

Chlorinated plasticizers, effect on waterproof sealer yellowing ..... Apr., 53
Effect on internal stress in thermoplastic coatings .. Apr., 37
Solubility parameters and acrylic aqueous coating performance ..... Jan., 99
Solubility parameters and hydrogen bonding, effect on alkyd solution rheological properties ... June, 43
Solubility parameters and urethane aqueous coating performance ..... Feb., 29
Solubility parameters, from polymer solution properties ..... Sept., 57
Solvent diffusion and surface coloring, glassy polymers ..... June, 53
Solvent evaporation mechanism, water reducible coating sprayout ..... Jan., 89
Solvent evaporation mechanism and coating flow, alkyd and high solid polyesters ..... Jan., 63
Viscosity dilution curve, resin-cosolvent and water ..... May, 33

Statistical Methods

Factorial experimental design, determination of polymer hydroxyl content ..... June, 65
Regression analysis, exterior latex coating cracking on wood ..... Jan., 73
Statistical analysis, panel immersion tests ..... Aug., 51

Substrates or Surfaces to Be Coated

Metal, corrosion-resistant (barrier) coatings for ..... Oct., 31
Surface defects/irregularities, by surface analysis ... May, 29
Steel, effect of methacrylate - β-diketone iron complexer (Fe^{+++}) coating on corrosion resistance ..... Feb., 39
Steel, effect of surface contaminants and nucleator deposition on phosphate coatings ..... Dec., 43
Wood, cracking mechanism of exterior latex coatings ..... Jan., 73
Wood, interaction with coatings ..... Apr., 25

Alphabetical Listing of Papers

A

The Accomplishments of the Mildew Consortium—C.C. Yeager, Dec., p. 61.
Acid Catalyzed Curing Polyester/Melamine Resins with Latent Catalysts—W.J. Mijs, W.J. Muizebelt, and J.B. Reesink, Feb., p. 45.
Acrylic Copolymer Oligomers for High Solids Coating Resins—D. Rhum and P.F. Aluotto, Aug., p. 75.
Anticorrosive Effect of Some β-Diketones in Polymeric Coatings on Low Carbon Steel—T.T. Kam and P.K. Hon, Feb., p. 39.
Application of Quasielastic Laser Light Scattering for Characterization and Quality Control of Colloidal Dispersions—F.B. Malihi, T. Provder, and M.E. Koehler, July, p. 41.

B

Basic Lead Silicochromate Is Still a Staple of Anticorrosion Formulations—D.N. Nash, Sept., p. 109.
Bunte Salts as Crosslinking Agents in Thermosetting Water-Borne Polymers—S.F. Thames, Nov., p. 33.

C

Characterization of Pigment Volume Concentration Effects in Latex Paints—W.J. Culhane, D.T. Smith, and C.P. Chiang, Mar., p. 53.
Chemistry of High Solids Alkyd/Reactive Diluent Coatings—D.B. Larson and W.D. Emmons, July, p. 49.
Colloid Chemistry of Water-Reducible Coatings. Part I: Viscosity Behavior—J.R. Overton and C.A. Herb, May, p. 33.
Comparative Solvent Evaporation Mechanisms for Conventional and High Solids Coatings—W.H. Ellis, Jan., p. 63.
Compositional Heterogeneity in Low Molecular Weight Copolymers as Revealed by Monte Carlo Simulations—K.F. O'Driscoll, Oct., p. 57.
Computerized Process Control in the Manufacturing Process—J.P. Kennedy, Nov., p. 51.
Copolymers of Polystyrene Glycol and Linseed Oil Modified Glyceryl Adipate for Surface Coatings—S. Agarwala, Nov., p. 43.
Crosslinked-Core Latex by Radiation-Induced Emulsion Polymerization—K. Makuuchi, A. Katakai, and H. Nakayama, Mar., p. 29.
Cyanoacrylate Adhesives—A Day of Serendipity, A Decade of Hard Work—H.W. Coover, Nov., p. 59.

D

Density Method for Determining the CPVC of Flat Latex Paints—F.B. Stieg, Jan., p. 111.
Design of Waterborne Coatings for the Corrosion Protection of Steel. Part III: Effect of Surfactants in an Aqueous Air Dry Coating—New England Society for Coatings Technology, Aug., p. 81.
Dispersibility of Pigments as a Criterion for Determining Optimum Mill Base Formulations—J. Oyarzun, Sept., p. 77.

E

Effect of Molecular Weight on Performance of Cellulosic Thickeners in Latex Paints, D.M. Blake, June, p. 33.
Effect of the Pigment Vehicle Interaction on the Properties of Magnetic Coatings—Y. Isobe, K. Okuyama, A. Hosaka, and Y. Kubota, Mar., p. 23.
Elements of a Successful Research Project: The Development of an Opaque Polymer—R.E. Harren, Dec., p. 79.
Estimation of Solubility Parameters for Solution Properties of Polymers—C.M. Kok and A. Rudin, Sept., p. 57.
Evaporation During Sprayout of a Typical Water-Reducible Paint at Various Humidities—A.L. Rocklin, Jan., p. 89.
Example of Problem Solving Using Surface Analysis—S.J. Valenty, May, p. 29.

Experimental Design Approach to Studying the Yellowing Effects of Plasticizers on Paints—H.L. Bullard, R.D. Mate, and K.G. Roquemore, Apr., p. 53.

F

Factorial Experimental Design: Determination of Hydroxyl Content in Polymers—B.O. Demarest and L.E. Harper, June, p. 65.
Factors Governing Tinter Performance—E. Cohen and R. Pineiro, Sept., p. 69.

G

Gadgets and Gimmicks . . .—Sept., p. 107.

H

High Solids Coatings from New Oligomers—M.S. Chattha and J.C. Cassata, May, p. 39.

I

Improved Analysis of Static Panel Immersion Testing Results—A.M. Becka, Aug., p. 51.
Interrelationships Between Pigment Surface Energies and Pigment Dispersions in Polymer Solutions—G.D. Cheever and J.C. Ulicny, Feb., p. 53.
Isocyanotoethyl Methacrylate: A Heterofunctional Monomer for Polyurethane and Vinyl Polymer Systems—M.R. Thomas, Aug., p. 55.

L

Latent Acid Catalyst for Water-Borne Coatings—D.J. Hart, Sept., p. 87.

M

Microbiology of Modern Coatings Systems—J.A. Jakubowski, J. Gyuris, and S.L. Simpson, Oct., p. 49.
Model Compound for Melamine Formaldehyde Resins—Z.W. Wicks, Jr., July, p. 29.

O

Oxazolidone Coatings. Part I: Synthesis and Structure—P.I. Kordomenos, K.C. Frisch, and J.E. Kresta, May, p. 49.
Oxazolidone Coatings. Part II: Structure-Properties Relationships and Thermal Stability—P.I. Kordomenos, K.C. Frisch, and J.E. Kresta, May, p. 59.

P

A Particle Packing Analysis of Coatings Above the Critical Pigment Volume Concentration—R.C. Castells, J.F. Meda, J.J. Caprari, and M.P. Damia, Dec., p. 53.
Pigment/Resin Interactions in Thixatropic Alkyd Media—J.E. Hall, Oct., p. 41.
Popping of Water-Soluble Acrylic Coatings—B.C. Watson and Z.W. Wicks, Jr., Mar., p. 59.
Predictive Model for Cracking of Latex Paints Applied to Exterior Wood Surfaces—F.L. Floyd, Jan., p. 73.

R

Reactivity of Calcium Carbonate and Cuprous Oxide with Binder Acid Components in Antifouling Paints—C.A. Giudice, B. del Amo, V. Rascio, and R. Sanchez, Feb., p. 23.
Recent Advances in Coatings for Household Appliances—T.J. Miranda, Jan., p. 81.
Review of Dielectric and Dynamic Mechanical Relaxation Techniques for the Characterization of Organic Coatings—K. Varadarajan, Sept., p. 95.
Rheological Properties of Alkyd Solutions and their Relation with Solubility Parameters of Solvents—K.M.A. Shareef and M. Yaseen, June, p. 43.

S

Some Aspects of the Graft Polymerization of Methacrylates onto Carbon Black Surfaces by Butyllithium—K. Ohkita, N. Nakayama, and T. Ohtaki, July, p. 35.
Solubility Parameter Concept in the Design of Polymers for High Performance Coatings. I. Acrylic Copolymers—A.J. Tortorello and M.A. Kinsella, Jan., p. 99.
Solubility Parameter Concept in the Design of Polymers for High Performance Coatings. II. Urethane Copolymers—A.J. Tortorello and M.A. Kinsella, Feb., p. 29.
Solvent Influence on the Development of Internal Stress in a Thermoplastic Coating—D.Y. Perera and D. Vanden Eynde, Apr., p. 37.
Structure-Property Relationships for Radiation Curable Coatings—A. Priola, F. Renzi, and S. Cesca, Aug., p. 63.
Studies on the Esterification of Trimellitic Anhydride. Implications of Coating Polymers—W. Riddick, July, p. 57.
Study on the Workability of Paints. Forces Exerted During Brushing and the Rheological Characteristics of Paints—Y. Kuge, June, p. 59.
Surface Characteristics that Control the Phosphatability of Cold-Rolled Steel Sheet—S. Maeda, Dec., p. 43.
Surface Coloring of Glassy Polymers by Solvent Diffusion—G. Guerra, C. Paolone, and L. Nicolais, June, p. 53.

T

Towards Environmentally Acceptable Corrosion Protection Through Organic Coatings. Problems and Realization—W. Funke, Oct., p. 31.

U

Use of AC Impedance in the Study of the Anticorrosive Properties of Chlorine-Containing Vinyl Acrylic Latex Copolymers—J.C. Padget and P.J. Moreland, Mar., p. 39.

V

Visual Color Technology Development in the Coatings Industry—J. DeGroff, Dec., p. 67.

W

Water-Extendible High Solids Enamels—M.R. Olson, J.M. Larson, and F.N. Jones, Apr., p. 45.
What Did the PRI Questionnaire Tell Us?—R.A. Brown, Dec., p. 75.
Wood as a Substrate for Coatings—W.A. Côté, Apr., p. 25.

Author Index

A

AGARWALA, S.—Copolymers of Polystyrene Glycol and Linseed Oil Modified Glyceryl Adipate for Surface Coatings, Nov., p. 43.
ALUOTTO, P.F.—See Rhum, D.

B

BECKA, A.M.—Improved Analysis of Static Panel Immersion Testing Results, Aug., p. 51
BLAKE, D.M.—Effect of Molecular Weight on Performance of Cellulosic Thickeners in Latex Paints, June, p. 33.
BROWN, R.A.—What Did the PRI Questionnaire Tell Us?, Dec., p. 75.
BULLARD, H.L., MATE, R.D., and ROQUEMORE, K.G.—Experimental Design Approach to Studying the Yellowing Effects of Plasticizers on Paints, Apr., p. 53.

C

CAPRARI, J.J.—See Castells, R.C.
CASSATA, J.C.—See Chattha, M.S.
CASTELLS, R.C., MEDA, J.F., CAPRARI, J.J., and DAMIA, M.P.—A Particle Packing Analysis of Coatings Above the Critical Pigment Volume Concentration, Dec., p. 53.
CESCA, S.—See Priola, A.
CHATTHA, M.S. and CASSATA, J.C.—High Solids Coatings from New Oligomers, May, p. 39.
CHEEVER, G.D. and ULICNY, J.C.—Interrelationships Between Pigment Surface Energies and Pigment Dispersions in Polymer Solutions, Feb., p. 53.
CHIANG, C.P.—See Culhane, W.J.
COHEN, E. and PINEIRO, R.—Factors Governing Tinter Performance, Sept., p. 69.
COOVER, H.W.—Cyanoacrylate Adhesives—A Day of Serendipity, A Decade of Hard Work, Nov., p. 59.
CÔTÉ, W.A.—Wood as a Substrate for Coatings, Apr., p. 25.
CULHANE, W.J., SMITH, D.T., and CHIANG, C.P.—Characterization of Pigment Volume Concentration Effects in Latex Paints, Mar., p. 53.

D

DAMIA, M.P.—See Castells, R.C.
DEGROFF, J.—Visual Color Technology Development in the Coatings Industry, Dec., p. 67.
DEL AMO, B.—See Giudice, C.A.
DEMAREST, B.O. and HARPER, L.E.—Factorial Experimental Design: Determination of Hydroxyl Content in Polymers, June, p. 65.

E

ELLIS, W.H.—Comparative Solvent Evaporation Mechanisms for Conventional and High Solids Coatings, Jan., p. 63.
EMMONS, W.D.—See Larson, D.B.

F

FLOYD, F.L.—Predictive Model for Cracking of Latex Paints Applied to Exterior Wood Surfaces, Jan., p. 73.
FRISCH, K.C.—See Kordomenos, P.I.
FUNKE, W.—Towards Environmentally Acceptable Corrosion Protection Through Organic Coatings. Problems and Realization, Oct., p. 31.

G

GIUDICE, C.A., DEL AMO, B., RASCIO, V., and SANCHEZ, R.—Reactivity of Calcium Carbonate and Cuprous Oxide with Binder Acid Components in Antifouling Paints, Feb., p. 23.
GUERRA, G., PAOLONE, C., and NICOLAIS, L.—Surface Coloring of Glassy Polymers by Solvent Diffusion, June, p. 53.
GYURIS, J.—See Jakubowski, J.A.

H

HALL, J.E.—Pigment/Resin Interactions in Thixatropic Alkyd Media, Oct., p. 41.
HARPER, L.E.—See Demarest, B.O.
HARREN, R.E.—Elements of a Successful Research Project: The Development of an Opaque Polymer, Dec., p. 79.
HART, D.J.—Latent Acid Catalyst for Water-Borne Coatings, Sept., p. 87.
HERB, C.A.—See Overton, J.R.
HON, P.K.—See Kam, T.T.
HOSAKA, A.—See Isobe, Y.

I

ISOBE, Y., OKUYAMA, K., HOSAKA, A., and KUBOTA, Y.—Effect of the Pigment Vehicle Interaction on the Properties of Magnetic Coatings, Mar., p. 23.

J

JAKUBOWSKI, J.A., GYURIS, J., and SIMPSON, S.L.—Microbiology of Modern Coatings Systems, Oct., p. 49.
JONES, F.N.—See Olson, M.R.

K

KAM, T.T. and HON, P.K.—Anticorrosive Effect of Some β-Diketones in Polymeric Coatings on Low Carbon Steel, Feb., p. 39.
KATAKAI, A.—See Makuuchi, K.
KENNEDY, J.P.—Computerized Process Control in the Manufacturing Process, Nov., p. 51.
KINSELLA, M.A.—See Tortorello, A.J.
KOEHLER, M.E.—See Malihi, F.B.
KOK, C.M. and RUDIN, A.—Estimation of Solubility Parameters for Solution Properties of Polymers, Sept., p. 57.
KORDOMENOS, P.I., FRISCH, K.C., and KRESTA, J.E.—Oxazolidone Coatings. Part I: Synthesis and Structure, May, p. 49.
KORDOMENOS, P.I., FRISCH, K.C., and KRESTA, J.E.—Oxazolidone Coatings. Part II: Structure-Properties Relationships and Thermal Stability, May, p. 59.
KRESTA, J.E.—See Kordomenos, P.I.
KUBOTA, Y.—See Isobe, Y.
KUGE, Y.—Study on the Workability of Paints. Forces Exerted During Brushing and the Rheological Characteristics of Paints, June, p. 59.

L

LARSON, D.B. and EMMONS, W.D.—Chemistry of High Solids Alkyd/Reactive Diluent Coatings, July, p. 49.
LARSON, J.M.—See Olson, M.R.

M

MAEDA, S.—Surface Characteristics that Control the Phosphatability of Cold-Rolled Steel Sheet, Dec., p. 43.
MAKUUCHI, K., KATAKAI, A., and NAKAYAMA, H.—Crosslinked-Core Latex by Radiation-Induced Emulsion Polymerization, Mar., p. 29.
MALIHI, F.B., PROVDER, T., and KOEHLER, M.E.—Application of Quasielastic Laser Light Scattering for Characterization and Quality Control of Colloidal Dispersions, July, p. 41.
MATE, R.D.—See Bullard, H.L.
MEDA, J.F.—See Castells, R.C.
MIJS, W.J., MUIZEBELT, W.J., and REESINK, J.B.—Acid Catalyzed Curing Polyester/Melamine Resins with Latent Catalysts, Feb., p. 45.
MIRANDA, T.J.—Recent Advances in Coatings for Household Appliances, Jan., p. 81.
MORELAND, P.J.—See Padget, J.C.
MUIZEBELT, W.J.—See Mijs, W.J.

N

NASH, D.N.—Basic Lead Silicochromate Is Still a Staple of Anticorrosion Formulations, Sept., p. 109.
NAKAYAMA, H.—See Makuuchi, K.
NAKAYAMA, N.—See Ohkita, K.
NEW ENGLAND SOCIETY FOR COATINGS TECHNOLOGY—Design of Waterborne Coatings for the Corrosion Protection of Steel. Part III: Effect of Surfactants in an Aqueous Air Dry Coating, Aug., p. 81.
NICOLAIS, L.—See Guerra, G.

O

O'DRISCOLL, K.F.—Compositional Heterogeneity in Low Molecular Weight Copolymers as Revealed by Monte Carlo Simulations, Oct., p. 57.
OHKITA, K., NAKAYAMA, M., and OHTAKI, T.—Some Aspects of the Graft Polymerization of Methacrylates onto Carbon Black Surfaces by Butyllithium, July, p. 35.
OHTAKI, T.—See Ohkita, K.
OKUYAMA, K.—See Isobe, Y.
OLSON, M.R., LARSON, J.M., and JONES, F.N.—Water-Extendible High Solids Enamels, Apr., p. 45.
OVERTON, J.R. and HERB, C.A.—Colloid Chemistry of Water-Reducible Coatings. Part I: Viscosity Behavior, May, p. 33.
OYARZUN, J.—Dispersibility of Pigments as a Criterion for Determining Optimum Mill Base Formulations, Sept., p. 77.

P

PADGET, J.C. and MORELAND, P.J.—Use of AC Impedance in the Study of the Anticorrosive Properties of Chlorine-Containing Vinyl Acrylic Latex Copolymers, Mar., p. 39.
PAOLONE, C.—See Guerra, G.
PERERA, D.Y. and VANDEN EYNDE, D.—Solvent Influence on the Development of Internal Stress in a Thermoplastic Coating, Apr., p. 37.
PINEIRO, R.—See Cohen, E.
PRIOLA, A., RENZI, F., and CESCA, S.—Structure-Property Relationship for Radiation Curable Coatings, Aug., p. 63.
PROVDER, T.—See Malihi, F.B.

R

RASCIO, V.—See Giudice, C.A.
REESINK, J.B.—See Mijs, W.J.
RENZI, F.—See Priola, A.
RHUM, D. and ALUOTTO, P.F.—Acrylic Copolymer Oligomer for High Solids Coating Resins, Aug., p. 75.
RIDDICK, W.—Studies on the Esterification of Trimellitic Anhydride. Implications of Coating Polymers, July, p. 57.
ROCKLIN, A.L.—Evaporation During Sprayout of a Typical Water-Reducible Paint an Various Humidities, Jan., p. 89.
ROQUEMORE, K.G.—See Bullard, H.L.
RUDIN, A.—See Kok, C.M.

S

SANCHEZ, R.—See Giudice, C.A.
SHAREEF, K.M.A. and YASEEN, M.—Rheological Properties of Alkyd Solutions and their Relation with Solubility Parameters of Solvents, June, p. 43.
SIMPSON, S.L.—See Jakubowski, J.A.
SMITH, D.T.—See Culhane, W.J.
STIEG, F.B.—Density Method for Determining the CPVC of Flat Latex Paints, Jan., p. 111.

T

THAMES, S.F.—Bunte Salts as Crosslinking Agents in Thermosetting Water-Borne Polymers, Nov., p. 33.
THOMAS, M.R.—Isocyanotoethyl Methacrylate: A Heterofunctional Monomer for Polyurethane and Vinyl Polymer Systems, Aug., p. 55.
TORTORELLO, A.J. and KINSELLA, M.A.—Solubility Parameter Concept in the Design of Polymers for High Performance Coatings. I. Acrylic Copolymers, Jan., p. 99.
TORTORELLO, A.J. and KINSELLA, M.A.—Solubility Parameter Concept in the Design of Polymers for High Performance Coatings. II. Urethane Copolymers, Feb., p. 29.

U

ULICNY, J.C.—See Cheever, G.D.

V

VALENTY, S.J.—Example of Problem Solving Using Surface Analysis, May, p. 29.
VANDEN EYNDE, D.—See Perera, D.Y.
VARADARAJAN, K.—Review of Dielectric and Dynamic Mechanical Relaxation Techniques for the Characterization of Organic Coatings, Sept., p. 95.

W

WATSON, B.C.—See Wicks, Z.W., Jr.
WICKS, Z.W., JR.—Model Compound for Melamine Formaldehyde Resins, July, p. 29.
WICKS, Z.W., JR. and WATSON, B.C.—Popping of Water-Soluble Acrylic Coatings, Mar., p. 59.

Y

YASEEN, M.—See Shareef, K.M.A.
YEAGER, C.C.—The Accomplishments of the Mildew Consortium, Dec., p. 61.

Proceedings Of the Paint Research Institute

No. 153—The Accomplishments of the Mildew Consortium, Dec., p. 61

Constituent Society Papers

NEW ENGLAND—Design of Waterborne Coatings for the Corrosion Protection of Steel. Part III: Effect of Surfactants in an Aqueous Air Dry Coating, Aug., p. 81.